

**This Page Is Inserted by IFW Operations  
and is not a part of the Official Record**

## **BEST AVAILABLE IMAGES**

**Defective images within this document are accurate representations of the original documents submitted by the applicant.**

**Defects in the images may include (but are not limited to):**

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>A23G 3/30</b>	<b>A1</b>	(11) International Publication Number: <b>WO 99/44436</b> (43) International Publication Date: <b>10 September 1999 (10.09.99)</b>
(21) International Application Number: <b>PCT/DK99/00108</b> (22) International Filing Date: <b>3 March 1999 (03.03.99)</b> (30) Priority Data: <b>0296/98</b> <b>4 March 1998 (04.03.98)</b> <b>DK</b> (71) Applicant (for all designated States except US): <b>DANDY A/S</b> [DK/DK]; Dandyvej 19, P.O. Box 208, DK-7100 Vejle (DK). (72) Inventor; and (75) Inventor/Applicant (for US only): <b>STAHL, Bronislaw-Jan</b> [DK/DK]; Magnoliavej 15, DK-7100 Vejle (DK). (74) Agent: <b>PLOUGMANN, VINGTOFT &amp; PARTNERS A/S</b> ; Sankt Annæ Plads 11, P.O. Box 3007, DK-1021 Copenhagen K (DK).	(81) Designated States: <b>AL, AM, AT, AT (Utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</b>  <b>Published</b> <i>With international search report.</i>	
(54) Title: <b>A COATED CHEWING GUM, A METHOD FOR PREPARATION THEREOF AND THE USE OF ONE OR MORE ACTIVE SUBSTANCE(S) IN SOLID FORM</b>		
(57) Abstract  A coated chewing gum comprising a core of chewing gum and a coating comprising a coating material and one or more active substance(s) in solid form. The use of an active substance in solid form in the coating of a coated chewing gum provides a fast onset of the effect, a better stability of the active substance, and an increased effect thereof in all chewing phases.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
RE	Estonia						

**A Coated Chewing Gum, a Method for Preparation thereof and the Use of One or More Active Substance(s) in Solid Form**

**Technical Field**

5

The present invention relates to a coated chewing gum comprising a core of chewing gum and a coating comprising a coating material as well as one or more active substance(s) in solid form. Furthermore, the invention relates to a method for the preparation of a coated chewing gum and the use of one or more active substance(s) in  
10 solid form in the coating of a coated chewing gum.

**Technical Background**

Coated chewing gum is prepared by coating a core of chewing gum with a number of  
15 layers of coating. The coating most often takes place in rotating coating kettles in which cores of chewing gum are rotated and coating suspension is applied in small portions that disperse evenly over the surfaces of the cores. Subsequently, the coated cores are dried by means of air.

20 These coating operations may be applied in up to approx. 90 increments until the preferred coating thickness is obtained, and the product has the preferred measures and the preferred weight.

The coating suspension is often an aqueous solution of a sugar or the like applied at  
25 an elevated temperature to ease the coating process.

In order to provide a fast flavour onset, often one or more flavour(s) is/are applied and possibly other active substances between the applications of the coating suspension. The active substance(s) is/are added in liquid form in one or more increment(s).  
30

A chewing gum with a completed coating is normally finally treated with a surface layer of a wax or the like.

The tablets with a completed coating are then subjected to a hardening process during the following approx. 8 weeks. Sugar alcohols such as sorbitol and xylitol thus form crystals whereby the chewing gum obtains a harder and a "crunchy" coating. The crystallisation process also provides a more porous coating structure. Thus, a migration  
5 of water, moisture and flavour takes place through the formed micro channels.

This causes the chewing gum to gradually lose its flavour, ethereal oils, if any, are oxidised, and the chewing gum loses moisture and gets harder.

- 10 Furthermore, the use of active substances in liquid form in the coating layers has the disadvantage that some of the active substances are lost to the surroundings during the coating process.

It has now been found that by using active substances in solid form in the coating  
15 layers of conventional chewing gum, an increased stability of the active substance is obtained. Furthermore, a faster onset of the effect is achieved, and by using flavour in solid form, a longer lasting explosion of taste compared with chewing gum coated with a liquid flavour. Finally, according to the invention, a more environmentally desirable manufacturing process is obtained since the use of an active substance in  
20 solid form causes less evaporation of volatile substances.

#### Disclosure of the Invention

Thus, the invention relates to a coated chewing gum comprising a core of chewing  
25 gum and a coating which comprises a coating material, and one or more active substance(s), which chewing gum is characterised in that the active substance(s) is/are added in solid form.

Furthermore, the invention relates to a method for the preparation of a coated  
30 chewing gum according to the invention, which method is characterised in that it comprises the following steps:

- 1) preparation of a core of chewing gum in a manner known *per se*,

- 2) preparation of a coating suspension, also in a manner known *per se*,
- 3) repeated applications of the coating suspension onto the cores of chewing gum also in a manner known *per se*, preferable at a temperature in the interval 30-90°C, preferably 35-75°C,
- 4) Applying on the coating of one or more active substance(s) in solid form in one or more increment(s) after the application of the coating suspension, and optionally repeating step 3) and 4)
- 5) optionally, application of one or more liquid active substance(s) in one or more increment(s) between the applications of the coating suspension,
- 6) optionally, finally application of a surface layer.

15

Applying of the solid active substance(s) is/are preferable performed without drying of the coating suspension in order to enable adherence of a substantial amount of the substance(s) in solid form to the coating. The drying time for the coating suspension depends on the specific coating formulation, however, the active substance(s) is/are added to the coated chewing gum substantially without delay after the coating processes are finished. If desired, the coated chewing gum may be wetted before adding the active substance(s) in solid form in case the coating has been allowed to dry for too long time whereby the coated chewing gum is no longer sticky.

25 The coating process may be repeated as many times as needed in order to obtain the desired thickness of the coating. In the coating process, the active substance(s) in solid form may be added between one or more of the ordinary coating processes. The last layer of the coating process may also include the active substance(s) in solid form. It is also within the present invention to use different active substances in solid form in the same coating layer or use one active substance in one layer, and a second active substance in another layer. Such combinations of active substances may be flavour and high potent sweeteners or a medicament together with an substance decreasing an undesirable taste of the medicament.

As the active substance(s) is/are located in the outer part of the coating, the active substance(s) is/are exposed to the consumer within a short period of chewing.

Accordingly, in a further embodiment, the invention relates to the use of one or more active substance(s) in solid form in the coating of a coated chewing gum in order to  
5 obtain a fast onset of the effect.

A further advantage of the admixture of the active substance(s) in solid form is that the solid form is more resistant to decomposition. Accordingly, the invention also relates to the use of one or more active substance(s) in solid form in the coating of a  
10 coated chewing gum in order to obtain a better stability of the active substance(s).

Finally, the invention relates to the use of one or more active substance(s) in solid form in the coating of a coated chewing gum in order to obtain an increased effect of the active substance(s) in all chewing phases.

15

#### Brief Description of the Drawing

The invention is further illustrated by means of the drawing, in which

20 Fig. 1 shows the release of flavour as a function of time by using menthol/-anethol/eucalyptus flavour in encapsulated form and liquid form, respectively,

Fig. 2 shows the release of flavour as a function of time by using the same amount of eucalyptus/anethol/menthol flavour in encapsulated form and liquid form, respectively,

25 Fig. 3 shows the release of flavour as a function of time by using liquid eucalyptus/anethol/menthol flavour and with and without encapsulated menthol,

Fig. 4 shows the stability of chewing gum with apple/cinnamon flavour with encapsulated and non-encapsulated aspartame, respectively, in suspension form in the  
30 coating,

Fig. 5 shows a flavour profile in the initial phase of chewing gum with fruit flavour (lemon/orange/mango) with and without encapsulated citric acid in the coating,

Fig. 6 shows a flavour profile in the initial phase of a chewing gum with fruit flavour (lemon/orange/mango) with and without encapsulated "cooling agent" in the coating,

Fig. 7 shows the same in the intermediate phase,

5

Fig. 8 shows the same in the end phase,

Fig. 9 shows a flavour profile in the initial phase of chewing gum with menthol/-anethol/eucalyptus flavour and with encapsulated thyme extract in the coating,

10

Fig. 10 shows the same in the intermediate phase,

Fig. 11 shows the same in the end phase,

15 Fig. 12 shows a flavour profile in the initial phase of chewing gum with menthol/-anethol/eucalyptus flavour and with encapsulated extract of black pepper in the coating,

Fig. 13 shows the same in the intermediate phase, and

20

Fig. 14 shows the same in the end phase.

The scope of the invention will appear from the detailed description below. However, it should be understood that the detailed description and the specific examples, while  
25 indicating preferred embodiments of the invention, are given by way of illustration only, since various changes and modifications within the scope of the invention will become apparent for those skilled in the art from the detailed description.

#### Detailed Description of the Invention

30

The active substances are selected among flavours, acids, salts, high potent sweeteners, and functional substances.



Aromas, which may be incorporated into the chewing gum according to the invention, are selected among natural, naturally identical or synthetic flavours, as well as plant extracts. Examples of applicable flavours are for example peppermint, periwinkle, eucalyptus, spearmint, anethol, menthol, powdered anise, and fruit flavours such as  
5 orange, lemon, mango, pineapple, lime, strawberry, cherry, black currant, blueberry, raspberry, wild berry, cranberry, apple, pear, banana, prune, and plum flavour, etc.

The plant extracts which may be applied instead of or together with one or more of the above-mentioned flavour(s) are preferably selected among extracts of liquorice,  
10 coffee, tea, herbs such as sage, thyme, basil, bergamot, balm, valerian, camomile, lavender, aloe vera, and spices such as pepper, cinnamon, capsicum, paprika, tarragon, fennel, mustard, dill, caraway, parsley, tomato, etc.

The use of plant extracts in coated chewing gum provides the possibility of preparing  
15 novel combinations of flavour and new flavour experiences.

In a preferred embodiment of the invention the active substance(s) is/are a natural vegetable flavouring agent such as fruit and herbs. Accordingly the substance may be selected among coconut, grape fruit, orange, lime, lemon, mandarin, pineapple,  
20 strawberry, raspberry, mango, passion fruit, kiwi, apple, pear, peach, apricot, cherry, pineapple, grapes, banana, cranberry, blueberry, black currant, red currant, gooseberry, and lingonberry, thyme, basil, valerian, fennel, parsley, camomile, tarragon, lavender, dill, cumin, bergamot, sage, aloe vera, spearmint, peppermint, eucalyptus and mixtures thereof.

25

It is furthermore an advantage that the natural flavouring agent is dried. A dried agent may have a more intense flavour and may further increase the stability of the flavour because many of the notes of the taste are still present in the more or less intact cells of the fruit or herb. The limited content of water is also an important factor with  
30 respect to stability.

In a further aspect, the water content of the natural flavouring agent is less than 75% by weight, such as less than 60%, preferable less than 40%, more preferred less than 30%, such as less than 25%. However, in situations where a less water content is

desired (for stability reasons or with respect to have an increased flavour sensation), the water content of the natural flavouring agent is less than 20% by weight, such as less than 15%, more preferred less than 10% such as between 1.5-7%, more preferred between 2-6%.

5

In a preferred embodiment, the natural flavouring agent is freeze-dried.

The natural flavouring agent in solid form may be in the form of a powder, slices or pieces, or combinations thereof. When a natural vegetable flavour is used, it is  
10 generally accepted or even desired that a feeling of small pieces of the flavour agent be recognised by the consumer in the chewing process. Accordingly, the natural flavouring agent may be in a form where the particle size is up to 3mm or even more. However smaller pieces are preferred and in a further aspect, the particle size is less than 3mm, such as less than 2mm, more preferred less than 1mm, calculated as the  
15 longest dimension of the particle.

In other situations it may be an advantage to have different sizes of the particles and an example is wherein the natural flavouring agent is in a form where the particle size is from about 3 $\mu$  to 2mm, such as from 4 $\mu$  to 1mm. However, the skilled person may  
20 select any combination dependent on the desired final properties of the coated chewing gum.

As seeds from fruits may have a special flavour, the natural flavouring agent may comprise seeds from a fruit e.g. from strawberry, blackberry and raspberry, and which  
25 seeds are substantially intact.

In a still further aspect of the invention, the natural vegetable flavouring agent also provides the gum formulation with natural colour. With seeds of a vegetable or fruit flavouring agents such as strawberry and/or orange, it has been possible to obtain a  
30 marbling colouring of the chewing gum as well as a uniform colouring. Accordingly, in a further aspect of the invention, the active substance in solid form may be a colouring agent.

Various acids may also be applied as active substances, such as citric acid, malic acid, tartaric acid, lactic acid, and ascorbic acid or any other acid allowed in food and which is suitable. These may most conveniently be applied together with chewing gum with fruit flavour in order to obtain an improved freshness during the first phase of the  
5 chewing period.

Furthermore, according to the invention, instead of or together with one or more of the above-mentioned active substance(s), salts may be applied, such as sodium chloride, potassium chloride, ammonium chloride, sodium bicarbonate, and carbamide.  
10 Hereby an improved chewing gum taste during the initial chewing period is obtained, and in case of sodium bicarbonate and carbamide also an improved dental care effect.

In order to obtain a sweet taste during the initial chewing period, together with or instead of one or more of the above-mentioned active substance(s) sweeteners may  
15 be incorporated in the coating, preferably highly potent sweeteners. Especially suitable sweeteners are e.g. aspartame, acesulfame K, saccharin, cyclamate, neohesperidine, thaumatin, glycyrrhizin, and salts thereof, monellin, sucralose, and alitame.

Finally, in order to obtain a specific effect together with or instead of one or more of  
20 the above-mentioned active substance(s), one or more functional substance(s) can be incorporated in the coating such as vitamins and nutrients, "cooling agents", flavour enhancers, enzymes, agents for care and treatment of the oral cavity, antiseptic agents, pharmaceuticals and herbal medicine.

25 "Cooling agents" and flavour enhancers are substances manufactured by so-called "flavour houses", and which substances are also known as "flavour enhancer", "cooling flavour", "physcol", "optacool", and the like. They are applied in order to make the taste stronger and fresh.

30 Examples of cooling agents are e.g. lactic acid menthyl ester, disclosed in EP 0794169 A1, mono menthylsuccinate, and salts thereof, disclosed in WO97/07771, and 4-(1-menthoxymenthyl)-2-phenyl-1,3-dioxolan and derivatives thereof, disclosed in US 5,545,424.

Among the vitamins and the nutrients that may be incorporated in the chewing gum according to the invention special mention can be made, without limitation, of the vitamins A, B<sub>1</sub>, B<sub>2</sub>, B<sub>5</sub>, B<sub>6</sub>, B<sub>12</sub>, D<sub>3</sub>, E, K, folic acid, niacin, biotin,  $\beta$ -carotene, ascorbic acid, and salts thereof, amino acids, glycerophosphates, minerals in the form of salts, 5 complexes and compounds containing calcium, phosphorus, magnesium, iron, zinc, copper, iodine, manganese, chromium, selenium, molybdenum, potassium, sodium, or cobalt and ubiquinol.

Among agents for the care and treatment of the oral cavity, special mention may be 10 made of hydrogen peroxide, carbamide and carbamide releasing compounds, CPP (caseinphosphopeptide), fluorine compounds such as sodium fluoride, sodium monofluorophosphate, and stannofluoride, arginine, zinc compounds, strontium chloride and potassium nitrate.

15 Among antiseptic agents, special mention may be made of guanidine and biguanidine, such as chlorhexidine acetate, quaternary ammonium compounds such as benzalkonium chloride, cetylpyridinium chloride, and cetrimide, phenols such as tymol, triclosan, parachlorophenol, and cresol, hexachlorophen as well as salicylanilide compounds.

20

Enzymes may also be incorporated in the chewing gum according to the invention, e.g. papain, trypsin, amylglucosidase, lactase, glucoseoxidase, streptokinase, streptodornase, dextranase, and mutanase.

25 Among pharmaceuticals, special mention may be made of caffeine, salicylic acid, and derivatives thereof, such as acetylsalicylic acid, choline salicylate, and magnesium salicylate, paracetamol, salts of pentazocine, buprenorphine, and buprenorphine hydrochloride, codeine hydrochloride and phosphate, morphine and salts thereof, methadone hydrochloride, ketobemidone,  $\beta$  blockers, calcium antagonists, verapamil 30 hydrochlorid, verapamil, nifedipine, nitroglycerin, erythrityl tetranitrate, strychnine and salts thereof, lidocaine, tetracaine hydrochloride, etorphine hydrochloride, atropine, insulin, alfa-amylase, polypeptides such as oxytocin, gonadorelin, and LHRH, desmopressin acetate (DDAVP), isoxsuprine hydrochloride, ergotamine compounds, chloroquine phosphate and sulfate, isosorbide, demoxytocin, heparin, lupeol,

sucralfate and salts thereof, nicotine and salts and derivatives thereof, lobeline, cinnarizine, dimenhydrinate, difenhydramine, cyclizine, scopolamine, miconazole, nystatin, metronidazole, hydrocortisone, astemizole, benzocaine, glibenglamide, onsaedantrone, acyclovir, sumatriptan, tropisetron, pizotifen, cisapride,  
5 domperidone, itraconazole, omeprazole, terfenadine, fluconazole, naratriptan, zolmitriptan, rizatriptan, eletriptan, almotriptan, sildenafil, tolafenamic acid, tramadol, cetirizine, and loratidine.

Among herbal medicine special mention may be of ginkgo biloba, ginseng, saw  
10 palmetto, stevia, ginger, propolis, echinacea, St. John's Wort, Siberian ginseng, guarana, and garlic in the form of drugs, extracts or in purified form.

Furthermore, it is possible by means of the present invention to add substances, which cannot resist the thermal and mechanical influences that normally occur during  
15 the manufacturing of cores of chewing gum, such substances being certain vitamins, enzymes, and pharmaceuticals.

The active substance(s) is/are added in the form of dry active substance, preferably spray-dried active substance, or in the form of encapsulated active substance. In a  
20 preferred embodiment of the present invention, the active substance is present in an encapsulated form. The active substance is preferably present in the form of a powder with particles having a size of 3-300  $\mu\text{m}$ .

The use of encapsulated active substance provides a larger stability of the substance,  
25 and the active substance migrates very slowly to the surface of the coated chewing gum. Furthermore, the contact of the encapsulated active substances with the air is limited, whereby possible oxidation processes take place very slowly. The latter are of particular significance in connection with flavours, especially in the form of ethereal oils, such as peppermint, lemon, lime, and orange.

30

In addition, by encapsulating the active substance, it is achieved that its reaction with other substances is prevented, substances like e.g. sodium bicarbonate with acid and aspartame with aldehyde-containing flavours, and especially in case of substances with an unpleasant taste, e.g. certain pharmaceuticals, the taste may be camouflaged.

In addition, it has been found that by chewing chewing gum that is coated with encapsulated flavour, not only a strong taste explosion is achieved, but also an enhanced taste in all chewing phases. The latter is due to the fact that flavour capsules from the coating layer of the chewing gum are opened both during the initial chewing and in following chewing period.

Furthermore, using an encapsulated active substance may prevent a discoloration of the coating, e.g. plant extracts such as thyme or black pepper. Finally, it may be desirable to prevent water-solubility, e.g. in connection with the use of acids and salts as the active substance.

When an encapsulated active substance is used, conventionally used encapsulation agents are used as the encapsulation agent, for instance, but without limitation, fatty substances, waxes, gelatin, gum arabic, starch, cellulose, cellulose derivatives, shellac, polyvinyl acetate (PVA), polyethylene (PE), casein, zein, B cyclodextrine, silica, yeast cells, and a mixture of the above encapsulation agents. Preferred encapsulation agents comprise fatty substances such as hydrogenated soy bean, cottonseed, coconut, sunflower, palm kernel, rapeseed, and ricinus oil, or waxes such as bees' wax, candelilla wax, carnauba wax, paraffin wax, and polyethylene wax, etc. Especially preferred is the use of a mixture of hydrogenated rape oil and carnauba wax.

Encapsulated flavour and methods for encapsulation are known from, e.g., EP 0 170 752 A2, EP 0 453 397 A1, EP 0 455 598 B1, and US 4,386,106.

In a particularly preferred embodiment of the coated chewing gum according to the present invention, the coating also comprises besides the coating material as well as one or more active substance(s) in solid form, one or more liquid active substance(s). This provides a larger flexibility of the process of chewing gum manufacture, and, when encapsulated active substance is concerned, a reduction in costs, since the encapsulation makes the process more expensive, and it is thus reserved for only the most sensitive active substances.

In one embodiment of the invention, the coating suspension comprises an aqueous solution of a sugar, a sugar alcohol, an artificial sweetener or mixtures thereof, preferably an aqueous solution of saccharose, dextrose, sorbitol, xylitol, tagatose, mannitol, maltitol, isomalt, aspartame, acesulfame K, saccharin, cyclamate, thalline, 5 and neohesperidine.

The coating suspension is applied in approx. 2 to 90 increment(s), preferably in approx. 30-60 increments to achieve a uniform coating with a suitable thickness.

10 The active substance(s) is/are applied by sprinkling or by blowing the substances into the rotating kettles a number of times such as from 1 to 10 times between the dosages of the coating suspension, preferably approx. 1 to 4 times to achieve a suitable effect.

15 The following is a general description of the preparation of chewing gum.

#### Preparation of Chewing Gum

The preparation process comprises the following:

20

Mixing of conventional chewing gum components in kneading kettles (mixers) with strong horizontally placed Z-shaped arms, which processes the raw materials and produces a homogeneous gum mass.

25 The kneading kettles are heated to a temperature of 30-80°C, typically approx. 45°C. The mixing process starts with gum base quantities that have been weighed out, and the processing of these lasts for 1-20 minutes, typically approx. 10 minutes. Then one or more sweetener(s) in powder form or in liquid form is/are added. The dosage of sweeteners and the following processing last from 1 to 20 minutes, typically approx. 30 7 minutes.

Then the flavours and the remaining components are added and kneaded for a further 1 to 10 minutes, typically approx. 5 minutes. The admixture of flavours and the remaining components may also take place in the beginning of the kneading process,

i.e. before the admixture of the sweeteners. It is also possible to add flavours in two or more portions during the kneading process.

When the kneading is completed, the kneading kettle is tipped, and the gum mass is  
5 taken out into carts, onto trays or the like.

The next process is the forming of the chewing gum. Before the forming can take place, the chewing gum mass, however, must be cooled. When taken out, the chewing gum mass has a temperature of 50-70°C, and in order to form the chewing  
10 gum, the temperature must be reduced to 30-45°C. The cooling of the chewing gum either takes place by storing the chewing gum mass in carts or on trays for quite a long time or by transporting a thin chewing gum carpet through a cooling tunnel.

The forming of the chewing gum may take place by extrusion through a specially  
15 formed nozzle, or the chewing gum may be formed after extrusion by means of rollers, punching machines, tentering wheels, and the like.

The chewing gum may be formed into cores, sticks, balls, cubes, cylinders, and many other shapes.  
20

In order to prevent the chewing gum from sticking to the rollers and other tools, the chewing gum is frequently powdered with a powder, which may consist of i.a. icing sugar, talc, corn flour, and the like.

25 The formed chewing gum can be cooled immediately to room temperature in a cooling tunnel and be packed (especially in case of bubble gum and soft bubble gum), or the cooling may take place on trays at the store for semimanufactured products at a controlled temperature and moisture.

30 The formed and cooled chewing gum is then treated by means coating and polishing processes before the packing.



Coating and Polishing of Cores of Chewing Gum

The coating of cores takes place in tilted, round or horizontally placed cylindrical coating kettles that rotate during the whole process. The coating kettles are made  
5 from copper, stainless steel or fiberglass-reinforced polyester, and are often equipped with a piping system that supplies and exhausts air and doses the coating suspension.

The coating process may take place as follows:

Cores of chewing put into movement in rotating coating kettles are added to the  
10 coating suspension in small portions that disperse evenly over the surfaces of the cores after a short or long smoothing out time. (The smoothing out time is the period of time during which the suspension disperses over the cores, approx. 10-90 seconds, preferably approx. 30-60 seconds). Afterwards the cores are dried by means of air. The operation is repeated up to 90 times, preferably approx. 30-40 times, until the  
15 cores are completely covered and have the preferred measure and the preferred weight.

In order to ease the coating process of chewing gum, a suspension is used which is heated up to 90°C, preferable up to about 75°C, and air which is heated up to at least  
20 35°C such as about 40°C.

Between the dosages of the coating suspension, one or more active substance(s) in solid form is/are added in one or more increment(s) in order to provide the chewing gum with a fast effect, e.g. flavour release during the chewing. It is an important  
25 aspect of the invention that the drying period is extended to after applying the active substances. When the active substances are added just after the coating process is completed, the coating suspension is still soft and the active substances may be more or less embedded in the coating in the solid form. The skilled person will be able to estimate or to establish by a simple test when the active substance should be added  
30 for obtaining a sufficient adherence of the active ingredient to the coating.

As appears from the Examples, the drying period is 0 seconds, however, drying periods up to 50 seconds such as up to 25 seconds are within the present invention and even longer periods may be acceptable depending on the drying properties of the

coating suspension, the particle size of the active substance as well as whether it is desired that the active substance should be fully embedded in the coating or should form a superficial layer on the coating.

- 5 Furthermore, between the dosages of the coating suspension and the addition of one or more active substance(s) in solid form, one or more active substance(s) in liquid form may be added.

- In order to achieve a neat and smooth surface of the chewing gum tablets with the  
10 completed coating, these may subsequently be subjected to a polishing. The polishing also takes place in rotating coating kettles in which a polishing suspension or a polishing powder is added to the coated cores in one or more portion(s). The polishing suspension often consists of wax, emulsifier, shellac, gum arabic, water, etc. The polishing powder often consists of wax only, or of wax mixed with emulsifier, gum  
15 arabic or talc, etc.

The present invention is further illustrated below by means of some examples.

### Examples

As a starting point, partly sugar-containing, partly sugar-free cores of chewing gum  
5 are used which are rolled out into sheets by means of stamping rollers, i.e. coherent  
sheets of cores of chewing gum which have a weight of approx. 0.9g/piece.

A coating kettle DRIA 1200, supplied by Driam Metallprodukt GmbH, Germany, is  
used for the coating of the above-mentioned cores. DRIA 1200 is a horizontally placed  
10 and cylindrical kettle intended for the coating of 50kg of chewing gum cores. The  
equipment has computer controlling of the amount of dosages of liquid and solid  
substances as well as controlling of the smoothing out times, the drying times, air  
quantities, the temperature of the drying air, and the airflow direction. For dosage of  
an active substance in a solid form, a pneumatic conveyor having a dispersing arm  
15 which ensures an even dispersion of the powder over all the tablets. The coating  
kettle can be set at various velocities from 1 to 15 rpm.

During the coating process, 50kg of chewing gum cores are filled into the coating  
kettle that can be set to a rotation of 8 rpm. During this rotation, the cores of chewing  
20 gum are separated from each other. Drying air is applied to the equipment, and surplus  
talc, which has been added during the rolling out of the cores of chewing gum, is  
removed. This separation and blowing through of air last for approx. 5 minutes.

Then the rotation speed of the coating kettle is increased to 11 rpm, and the first  
25 dosage of the coating suspension may take place.

It is also possible to use small (2kg) or large (100kg) tilted, round coating kettles and  
sprinkle active substance in solid form manually in 1-10 increment(s) between the  
dosages of the coating suspension. Dosage of active substance in more increments  
30 ensures an even dispersion of the powder over all the cores of chewing gum.

For the coating of sugar-containing cores of chewing gum, a saccharose suspension  
was used in the following examples, and a sorbitol suspension was used for the  
coating of sugar-free cores.

In the following embodiments, the coating suspension had the following composition:

1. Saccharose suspension

5		
	Sugar juice (70%)	94.45 %
	Water	4.68 %
	Gelatine (Bloom value 120-160)	0.87 %
		-----
10	Total	100.00 %

2. Sorbitol suspension

	Sorbitol liquid/neosorb 70/02	97.86 %
15	Water	1.59 %
	Titanium dioxide	0.55 %
		-----
	Total	100.00 %

20 The Examples 1, 2, and 3, shows conventional coating of sugar-containing and sugar-free cores of chewing gum, respectively.

**Example 1**

Coating in DRIA 1200 equipment of 50kg of sugar-containing chewing gum cores with peppermint taste.

5

Saccharose suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Drum rpm
1-2	500	45	300	11
3-12	900	45	400	11
13	600 + 222*	60	400	11
14-15	700	0	380	11
16-21	1000	0	380	11
22-34	1000	30	410	11
35-38	600	260	280	11
39	500	1500	290	11
40	wax powder 50g	300	300	8

\* A 600g saccharose suspension + 222g peppermint oil.

**Example 2**

Coating in DRIA 1200 equipment of 50kg of sugar-free chewing gum cores with peppermint taste.

5

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Drum rpm
1-2	400	0	250	11
3-5	700	15	300	11
6	700 + 200*	60	300	11
7-16	700	45	300	11
17-24	1000	45	350	11
25-26	700	240	240	11
27	wax powder 50g	360	360	8

\* A 700g sorbitol suspension + 200g peppermint oil.

**Exempl 3**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, and anethol.

5

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	9.9 liquid flavour	10	0	50
14	20	40	0	50
15-16	20	5	120	50
17-22	30	60	120	50
23-26	40	30	120	50
27-33	30	60	120	50
34-35	20	120	240	50
36	wax powder 2g	300	300	50

\* A sorbitol suspension with 3.5% aspartame and 7.5% acesulfame K.

**Example 4.**

Coating in DRIA 1200 equipment of 50kg sugar-containing chewing gum cores with peppermint oil encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba  
5 wax.

Saccharose suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Drum rpm
1-2	500	45	300	11
3-12	900	45	400	11
13	400	10	0	11
14	400* powder	60	0	11
15-16	700	0	380	11
17	400	10	0	11
18	400* powder	60	0	11
19-20	700	0	380	11
21-24	1000	0	380	11
25-37	1000	30	410	11
38-41	700	260	280	11
42	500	1500	290	11
43	wax powder 50g	300	300	8

\* A powder with a flavour concentration of 28%.



**Exempl 5**

Coating in DRIA 1200 equipment of 50kg sugar-free chewing gum cores with peppermint oil encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Drum rpm
1-2	400	0	250	11
3-5	700	15	300	11
6	350	10	0	11
7	360* powder	60	0	11
8-9	700	10	300	11
10	350	10	0	11
11	360* powder	60	0	11
12-13	700	10	300	11
14-18	700	45	300	11
19-26	1000	45	350	11
27-28	700	240	240	11
29	wax powder 50g	360	360	8

\* A powder with a flavour concentration of 28%.

**Example 6**

Coating in tilted round kettles of 2kg sugar-free chewing gum cores with peppermint oil encapsulated in silica.

5

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	17**powder	40	0	50
15-16	20	5	120	50
17-19	30	60	120	50
20-28	40	30	120	50
29-33	30	60	120	50
34-35	20	120	240	50
36	wax powder 2g	300	300	50

\* A sorbitol suspension with 2.75% aspartame.

\*\* A powder with a flavour concentration of 50%.

**Example 7**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with peppermint oil encapsulated in gelatine.

5

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	17**powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	20	10	0	50
20	17**powder	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A sorbitol suspension with 2.75% aspartame.

\*\* A powder with a flavour concentration of 25%.

**Example 8**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of eucalyptus, menthol, and anethol, encapsulated in a 3:1 mixture of hydrogenated rape  
5 oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	40**powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	20	10	0	50
20	40**powder	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A sorbitol suspension with 3.75% aspartame, and 7.5% acesulfame K.

\*\* A powder with a flavour concentration of 24.5%.

**Example 9**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of eucalyptus, menthol, and anethol, encapsulated in a 3:1 mixture of hydrogenated rape oil  
 5 and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	20**powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	20	10	0	50
20	20**powder	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A sorbitol suspension with 3.5% aspartame and 7.5% acesulfame K.

\*\* A powder with a flavour concentration of 24.5%.

**Exempl 10**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, and anethol, as well as menthol encapsulated in gum arabic.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	9.9 liquid flavour	10	0	50
14	20	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	20	10	0	50
20	7**powder	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A sorbitol suspension with 3.5% aspartame and 7.5% acesulfame K.

\*\* A powder with a flavour concentration of 80%.

**Example 11**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, anethol, as well as ammonium chloride encapsulated in a 3:1  
5 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	9.9 liquid flavour	10	0	50
14	20	40	0	50
15	20	5	120	50
16-17	30	60	120	50
18	20	10	0	50
19	40** powder	40	0	50
20-21	20	5	120	50
22	20	10	0	50
23	40** powder	40	0	50
24-25	20	5	120	50
26-27	30	60	120	50
28-30	40	30	120	50
31-37	30	60	120	50
38-39	20	120	240	50
40	wax powder 2g	300	300	50

\* A sorbitol suspension with 3.5% aspartame and 7.5% acesulfame K.

\*\* A powder with a ammonium chloride concentration of 30%.

**Example 12**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, and powdered anise, as well as naturally extract of black pepper  
5 encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20	60	120	50
13	20	10	0	50
14	20* powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	10 liquid flavour	10	0	50
20	20	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A powder of naturally extract of black pepper in a concentration of 20%.



**Example 13**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, and powered anise as well as naturally basil extract encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20	60	120	50
13	20	10	0	50
14	20* powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	10 liquid flavour	10	0	50
20	20	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A powder of naturally basil extract in a concentration of 14%.

**Exempl 14**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid eucalyptus, menthol, and powdered anise; as well as naturally thyme extract encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20	60	120	50
13	20	10	0	50
14	20* powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	10 liquid flavour	10	0	50
20	20	40	0	50
21-22	20	5	120	50
23-24	30	60	120	50
25-28	40	30	120	50
29-35	30	60	120	50
36-37	20	120	240	50
38	wax powder 2g	300	300	50

\* A powder of naturally thyme extract in a concentration of 15%.

**Example 15**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of mixture of liquid fruit flavours (orange, lemon, and mango) as well as citric acid 5 encapsulated in a 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	30**powder	40	0	50
15-16	20	5	120	50
17	20	10	0	50
18	30**powder	40	0	50
19-20	20	5	120	50
21	5.7 liquid flavour	10	0	50
22	20	40	0	50
23-24	20	5	120	50
25-26	30	60	120	50
27-30	40	30	120	50
31-37	30	60	120	50
39-40	20	120	240	50
41	wax powder 2g	300	300	50

\* A sorbitol suspension with 7.5% aspartame.

\*\* Encapsulated citric acid in a concentration of 35%.

**Example 16**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid fruit flavours (orange, lemon, and mango) as well as ascorbic acid encapsulated in a 5 3:1 mixture of hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	30** powder	40	0	50
15-16	20	5	120	50
17	20	10	0	50
18	30** powder	40	0	50
19-20	20	5	120	50
21	5.7 liquid flavour	10	0	50
22	20	40	0	50
23-24	20	5	120	50
25-26	30	60	120	50
27-30	40	30	120	50
31-37	30	60	120	50
39-40	20	120	240	50
41	wax powder 2g	300	300	50

\* A sorbitol suspension with 7.5% aspartame.

\*\* Encapsulated ascorbic acid in a concentration of 60%.

**Example 17**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of mixture of liquid fruit flavours (orange, lemon, and mango) as well as cooling agent encapsulated in gum arabic.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20*	60	120	50
13	20	10	0	50
14	20** powder	40	0	50
15-16	20	5	120	50
17	20	10	0	50
18	20	40	0	50
19-20	20	5	120	50
21	5.7 liquid flavour	10	0	50
22	20	40	0	50
23-24	20	5	120	50
25-26	30	60	120	50
27-30	40	30	120	50
31-37	30	60	120	50
39-40	20	120	240	50
41	wax powder 2g	300	300	50

\* A sorbitol suspension with 7.5% aspartame.

\*\* Encapsulated cooling agent, "Cooling Flavouring Powder" from International Flavours and Fragrances, Ltd., England, in a concentration of 20%.

**Example 18**

Coating in tilted kettles of 2kg sugar-free chewing gum cores with a mixture of liquid flavours (apple and cinnamon) as well as aspartame encapsulated in a 3:1 mixture of 5 hydrogenated rape oil and carnauba wax.

Sorbitol suspension Dosage No.	Amount of dosage g	Smoothing out time sec.	Drying time sec.	Number of revolutions rpm
1	20	120	120	50
2	20	90	120	50
3	20	60	60	50
4-9	30	30	90	50
10-11	30	30	120	50
12	20	60	120	50
13	20	10	0	50
14	25* powder	40	0	50
15-16	20	5	120	50
17-18	30	60	120	50
19	6.6 liquid flavour	10	0	50
20	20	10	0	50
21-22	20	40	120	50
23-24	30	5	120	50
25-28	30	30	120	50
29-35	20	60	120	50
36-37	30	120	240	50
38	wax powder 2g	300	300	50

\* Encapsulated aspartame in a concentration of 10%.

### Test Results

A number of sensory tests were carried out as documentation of the achieved effect by the use of active substances in solid form in the coating of a coated chewing gum.

5

The tests were carried out with 5 to 8 trained tasters per test. The coated chewing gum was served in tasteless plastic cups coded with a randomised three-figure number. There was a 3-minute-break between each product tested, and each product was tested twice.

10

The tests were carried out partly in the form of a measurement of the flavour release as a function of time (time intensity tests), in which the products were tested after 5, 15, 30, 45, 60, 75, 90, 105, 120, 135, 150, 165, 180, 240, 300, 420, and 540 seconds, partly in the form of determination of a taste profile, in which the products were tested in intervals; the initial phase : 0 - 1 minute, the intermediate phase 1 - 3 minute(s), and the end phase 3 - 4 minutes.

### Test 1

20 A measurement was carried out of the flavour release as a function of time from a chewing gum coated according to Example 8, i.e. with a mixture of eucalyptus, menthol, and anethol encapsulated in fat and wax. The flavour release from this chewing gum was compared with a chewing gum coated according to Example 3, i.e. with liquid eucalyptus, menthol, and anethol. The result of the test appears from Fig.  
25 1 which shows that the use of encapsulated flavour in the coating layer partly results in an extremely high taste onset (taste explosion) during the first 60 seconds, and partly enhances the taste in all chewing phases.

### Test 2

30

In this test, measurement of the flavour release as a function of time by the use of the same amount of eucalyptus/menthol/anethol flavour in liquid form (Example 3) and encapsulated in fat and wax (Example 9), respectively, was carried out. The result of the test appears from Fig. 2, which shows that the use of active substance in solid

form provides a strong taste explosion in the initial phase, and a significantly enhanced effect in the first 4-5 minutes can be observed.

### Test 3

5

In this test, the effect of addition of menthol encapsulated in gum arabic to the coating of a chewing gum coated with liquid eucalyptus, menthol, and anethol, cf. Example 10, was examined and compared with a chewing gum coated according to Example 3, i.e. only with liquid eucalyptus, menthol, and anethol.

10

The result of the test is shown in Fig. 3 which shows that addition of encapsulated menthol causes a strong taste explosion in the initial phase and an enhanced taste effect in all the chewing phases.

### 15 Test 4

A stability test was carried out of a chewing gum coated in accordance with Example 18, i.e. coated with apple/cinnamon flavour as well as aspartame encapsulated in fat and wax. By way of comparison, a corresponding chewing gum in which the aspar-  
20 tame was non-encapsulated was tested.

The result of the test is shown in Fig. 4 which shows that the chewing gum containing non-encapsulated aspartame loses its stability already after approx. 30 days after coating since it develops a bitter taste. The lack of stability is probably due to a  
25 reaction between aspartame and aldehyde-containing flavours. In a corresponding chewing gum with encapsulated aspartame in the coating no change in the taste is observed even after 90 days.

Thus, encapsulation of aspartame has a strong stability-improving effect

30

### Test 5

A test was carried out with chewing gum coated according to Example 15, i.e. with a mixture of liquid fruit flavours (orange, lemon, and mango) as well as citric acid



encapsulated in fat and wax in order to determine the taste profile in the initial phase. By way of comparison, a taste profile was recorded for a corresponding chewing gum coated with the same fruit flavours (orange, lemon, and mango), but without encapsulated citric acid in the coating layer. The result of the test is shown in Fig. 5.

5

As will be apparent, a chewing gum with citric acid has a larger taste intensity and stronger citric notes than a corresponding product without citric acid.

#### Test 6

10

A test was carried out in order to determine the taste profile in the initial phase, the intermediate phase, and the end phase, respectively, of a chewing gum coated according to Example 17, i.e. with a mixture of liquid fruit flavours (orange, lemon, and mango) and with and without cooling flavour encapsulated in gum arabic. The result of the test is shown in Figs. 6, 7, and 8 which show that the chewing gum with the cooling agent has a larger taste intensity and stronger citric notes in the initial phase. As is apparent from Figs. 7 and 8, this tendency is maintained in the intermediate phase and in the end phase as well in spite of the fact that the cooling agent was placed in the coating layer only.

20

Thus, the chewing gum according to the invention shows an increased effect of the active substance in all the chewing phases.

#### Test 7

25

In this test the taste profile of a chewing gum coated according to Example 14, i.e. with a mixture of liquid eucalyptus, menthol, and powdered anise as well as natural thyme extract encapsulated in fat and wax, was determined.

30 The use of encapsulated thyme provides the possibility of developing a chewing gum with an entirely new combination of tastes without having to observe the occurrence of discoloration of the coating layer by the use of liquid extract.

Test 8

In this test the taste profile of a chewing gum coated according to Example 12, i.e. with a mixture of liquid eucalyptus, menthol, and powdered anise as well as natural  
5 extract of black pepper encapsulated in fat and wax, was determined. The result of this test is shown in Figs. 12, 13, and 14. In the same way as in test 7, the possibility of creating new combinations of tastes without discoloration of the coating layer is achieved.

- 10 The invention being thus described, it will be obvious that it may be varied in many ways. Such variations are not to be regarded as deviations from the idea and the scope of the invention, and all such modifications as would be obvious to persons skilled in the art, are intended to be included within the scope of the following claims.

Claims

1. A coated chewing gum comprising a core of chewing gum and a coating comprising a coating material and one or more active substance(s), characterised in that  
5 the active substance(s) is/are added in solid form.
2. The coated chewing gum according to claim 1, characterised in that the active substance(s) is/are selected among flavours, acids, salts, high potent sweeteners, and functional substances.
- 10 3. The coated chewing gum according to claim 1 or 2, characterised in that the flavour is selected among natural, naturally identical or synthetic flavours, and plant extracts.
- 15 4. The coated chewing gum according to any of the preceding claims wherein the active substance is a natural vegetable flavouring agent.
5. The coated chewing gum according to claim 4 wherein the natural vegetable flavouring agent is selected among fruits and herbs.
- 20 6. The coated chewing gum according to claim 5 wherein the natural vegetable flavouring agent is selected among coconut, grape fruit, orange, lime, lemon, mandarin, pineapple, strawberry, raspberry, mango, passion fruit, kiwi, apple, pear, peach, apricot, cherry, grapes, banana, cranberry, blueberry, black currant, red  
25 currant, gooseberry, and lingonberry thyme, basil, valerian, fennel, parsley, camomile, tarragon, lavender, dill, cumin, bergamot, sage, aloe vera, spearmint, peppermint, eucalyptus, and mixtures thereof.
7. The coated chewing gum according to any of claims 4-6 wherein the natural  
30 flavouring agent is dried.

8. The coated chewing gum according to claim 7 wherein the water content of the natural flavouring agent is less than 75% by weight, such as less than 60%, preferable less than 40%, more preferred less than 30%, such as less than 25%.
- 5 9. The coated chewing gum according to claim 7 wherein the water content of the natural flavouring agent is less than 20% by weight, such as less than 15%, more preferred less than 10% such as between 1.5-7%, more preferred between 2-6%.
- 10 10. The coated chewing gum according to any of claims 4-9 wherein the natural flavouring agent is freeze-dried.
11. The coated chewing gum according to any of claims 4-10 wherein the natural flavouring agent is in the form of a powder, slices or pieces or combinations thereof.
- 15 12. The coated chewing gum according to claim 11 wherein the natural flavouring agent is in a form where the particle size is less than 3mm, such as less than 2mm, more preferred less than 1mm, calculated as the longest dimension of the particle.
- 20 13. The coated chewing gum according to claim 11 wherein the natural flavouring agent is in a form where the particle size is from about 3 $\mu$  to 2mm, such as from 4 $\mu$  to 1mm.
- 25 14. The coated chewing gum according to any of claims 4-14 wherein the natural flavouring agent comprises seeds from a fruit e.g. from strawberry, blackberry and raspberry, and which seeds are substantially intact.
- 30 15. The coated chewing gum according to any of the preceding claims wherein the natural vegetable flavouring agent also provides the gum formulation with natural colour.
16. The coated chewing gum according to claim 3, characterised in that the flavour is selected among peppermint, periwinkle, eucalyptus, spearmint, anethol, menthol, powdered anise, and fruit flavours such as orange, lemon, mango, pineapple, lime,

strawberry, cherry, black currant, blueberry, raspberry, wild berry, cranberry, apple, pear, banana, prune, and plum flavour.

17. The coated chewing gum according to claim 3, characterised in that the plant  
5 extracts are selected among extracts of liquorice, coffee, tea, herbs such as sage, thyme, basil, bergamot, balm, valerian, camomile, lavender, aloe vera, and spices such as pepper, cinnamon, capsicum, paprika, tarragon, fennel, mustard, dill, caraway, parsley, and tomato.
- 10 18. The coated chewing gum according to claim 2, characterised in that the acids are selected among citric acid, malic acid, tartaric acid, lactic acid, and ascorbic acid.
19. The coated chewing gum according to claim 2, characterised in that the salts are selected among sodium chloride, potassium chloride, ammonium chloride, sodium  
15 bicarbonate, and carbamide.
20. The coated chewing gum according to claim 2, characterised in that the sweeteners are selected among aspartame, acesulfame K, saccharin, cyclamate, neohesperidine, thaumatin, glycyrrhizin, and salts thereof, monellin, sucralose, and  
20 alitame.
21. The coated chewing gum according to claim 2, characterised in that the functional substances are selected among vitamins, "cooling agents", flavour enhancers, and pharmaceuticals in the coating such as the vitamins A, B, C, D, and E, enzymes,  
25 nicotine, caffeine, acetylsalicylic acid, chlorhexidine, zinc compounds, and antihistamines.
22. The coated chewing gum according to any of the preceding claims wherein the active substance(s) is/are in an encapsulated form.
- 30 23. The coated chewing gum according to any of the preceding claims wherein the encapsulated active substance is encapsulated in one or more material(s) selected among fatty substances, waxes, gelatine, gum arabic, starch, cellulose, cellulose derivatives, shellac, polyvinyl acetate, polyethylene, casein, zein, B cyclodextrine,

silica, yeast cells, and a mixture of the above encapsulation materials, preferably a mixture of fatty substances and carnauba wax.

24. The coated chewing gum according to any of claims 1-23, characterised in that  
5 the coating additionally comprises one or more liquid active substance(s).

25. A method for the preparation of a coated chewing gum according to any of claims 1-24, characterised in that it comprises the following steps:


- 10 1) preparation of a core of chewing gum in a manner known *per se*,
- 2) preparation of a coating suspension, also in a manner known *per se*,
- 3) application of the coating suspension onto the cores of chewing gum  
15 in a manner known *per se*,
- 4) Applying on the coating of one or more active substance(s) in solid form in one or more increment(s) after the application of the coating suspension, and optionally repeating step 3) and 4)  
20
- 5) optionally, application of one or more liquid active substance(s) in one or more increment(s) between the applications of the coating suspension,
- 6) optionally, finally application of a surface layer.  
25

26. The method according to claim 25, characterised in that the coating suspension comprises an aqueous solution of a sugar, a sugar alcohol, an artificial sweetener or mixtures thereof.

30 27. The method according to claim 26, characterised in that the coating suspension comprises an aqueous solution of one or more constituent(s) selected among saccharose, dextrose, sorbitol, xylitol, tagatose, mannitol, maltitol, isomalt, aspartame, acesulfame K, saccharine, cyclamate, taline, and neohesperidine.


28. The method according to any of claims 25-27, characterised in that the coating suspension is applied in approx. 2 to 90 increments, preferably in approximately 30-60 increments.
- 5 29. The method according to any of claims 25-28, characterised in that the active substance(s) present in solid form is/are applied in 1 to 10 increment(s) between the dosages of the coating suspension, preferably 1-4 increment(s).
30. The use of one or more active substance(s) in solid form in the coating of a  
10 coated chewing gum to achieve a fast onset of the effect.
31. The use of one or more active substance(s) in solid form in the coating of a coated chewing gum to achieve a better stability of the active substance.
- 15 32. The use of one or more active substance(s) in solid form in the coating of a coated chewing gum to achieve an increased effect of the active substance(s) in all chewing phases.

1/14





2/14



Intensity  
Fig. 2

3/14





Fig. 3

4/14




Fig. 4

5/14

comparison \_\_\_\_\_  
 according to \_\_\_\_\_  
 the invention \_\_\_\_\_




Fig. 5

6/14







Fig. 6

7/14

comparison \_\_\_\_\_  
 according to \_\_\_\_\_  
 the invention \_\_\_\_\_

Intermediate phase



Scale: 0 3.75 7.50 11.25 15


Fig. 7

8/14

comparison \_\_\_\_\_

according to \_\_\_\_\_

the invention \_\_\_\_\_



End phase





Fig. 8

9/14





Scale : 0 3.75 7.50 11.25 15

start phase





10/14





Intermediate phase

11/14





End phase

12/14





start phase

13/14



Intermediate phase

14/14



End phase

# INTERNATIONAL SEARCH REPORT

International application No  
PCT/DK 99/00108

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A23G3/30

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 263 224 A (WARNER-LAMBERT COMPANY) 13 April 1988 see claims; examples ---	1, 2, 19, 21, 24-32
X	US 4 250 195 A (CHERUKURI ET AL.) 10 February 1981  see line 1 - line 30 see column 6, line 33-36; examples ---	1-9, 11-13, 15-17, 25-32
X	EP 0 435 698 A (WM WRIGLEY JR. COMPANY) 3 July 1991 see page 1, line 13 - line 22 see page 2, line 25 - line 27 -----	1-3, 16, 20, 22-24

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

3 June 1999

Date of mailing of the international search report

14/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk

Authorized officer

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/DK 99/00108

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 263224 A	13-04-1988	US 4867989 A	19-09-1989
		AU 6609286 A	17-03-1988
		CA 1316747 A	27-04-1993
		DE 3684920 A	21-05-1992
		JP 1049455 B	24-10-1989
		JP 1565623 C	25-06-1990
		JP 63071151 A	31-03-1988
		PT 83936 A, B	01-01-1987
		ZA 8701912 A	31-08-1987
US 4250195 A	10-02-1981	AR 223394 A	14-08-1981
		ZA 8005472 A	30-09-1981
EP 435698 A	03-07-1991	US 4988518 A	29-01-1991
		AU 642453 B	21-10-1993
		AU 6854390 A	11-07-1991
		CA 2032829 C	08-08-1995
		CN 1052995 A	17-07-1991
		FI 906415 A	29-06-1991
		PH 27260 A	04-05-1993